

**RITE AID FIBER CAPLETS- calcium polycarbophil tablet, film coated**  
**RITE AID CORPORATION**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Rite Aid Fiber Caplets Calcium Polycarbophil**

***Drug Facts***

**Active Ingredient (in each caplet)**

Calcium polycarbophil 625 mg

equivalent to 500 mg polycarbophil

**PURPOSE**

Bulk-forming laxative

***USES***

- relieves occasional constipation to help restore and maintain regularity
- this product generally produces bowel movement in 12 to 72 hours

**Choking Warning:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have**

- abdominal pain, nausea, or vomiting
- a sudden change in bowel habits that persists over a period of 2 weeks

**Ask your doctor or pharmacist before use if you are taking any other drug.**

Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

**When using this product**

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

**Stop use and ask a doctor if**

rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

## ***DIRECTIONS***

- Take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. (See choking warning).
- This product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation.

Age	Recommended	Daily maximum
adults & children 12 years of age and over	2 caplets once a day	up to 4 times a day
children under 12 years	consult a physician	

## ***OTHER INFORMATION***

- **each caplet contains:** calcium 125 mg
- store at room temperature
- protect contents from moisture

## **SAFETY SEALED: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

calcium carbonate, caramel color, Crospovidone, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate.

## ***Questions or Comments?***

**1-866-467-2748**

## **PRINCIPAL DISPLAY PANEL**

NDC# 11822-2025-0

**Compare to the active ingredients FiberCon® Caplets\***

### **Fiber Caplets**

Calcium Polycarbophil 625 mg

### **Bulk-Forming**

### **Fiber Laxative**

- Gentle Relief of Constipation
- Won't Cause Gas or Bloating

- Effective as Fiber Powders

## 250 Caplets

### DISTRIBUTED BY:

**RITE AID, 30 HUNTER LANE,**

**CAMP HILL, PA 17011**

**www.riteaid.com**

### SATISFACTION GUARANTEE:

**If you're not satisfied we'll happily refund your money.**

\*This product is not manufactured or distributed by Pfizer Inc., owner of the registered trademark Fibercon® Caplets.

Compare to the active ingredient in FiberCon® Caplets\*

# FIBER CAPLETS

**CALCIUM POLYCARBOPHIL**

**BULK-FORMING FIBER LAXATIVE**

Gentle relief of constipation  
Won't cause gas or bloating  
Effective as fiber powders

ACTUAL SIZE

**250 CAPLETS**

**DO NOT USE IF PRINTED INNER SEAL UNDER CAP IS TORN OR MISSING**

Drug Facts										
<p><b>Active ingredient (in each caplet)</b> Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil</p> <p><b>Uses</b> ■ relieves occasional constipation to help restore and maintain regularity ■ this product generally produces bowel movement in 12 to 72 hours.</p> <p><b>Warnings</b> Choking: Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting or difficulty in swallowing or breathing after taking this product, seek immediate medical attention. ■ a sudden change in bowel habits that persists over a period of 2 weeks. <b>Ask your doctor before use if you have</b> ■ abdominal pain, nausea or vomiting <b>Ask your doctor or pharmacist before use if you are</b> taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.</p> <p><b>When using this product</b> ■ do not use for more than 7 days unless directed by a doctor ■ do not take more than 8 caplets in a 24 hour period unless directed by a doctor <b>Stop use and ask a doctor</b> if rectal bleeding occurs or if you fail to have a bowel movement after use of this or any other laxative. These could be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away 1-800-222-1222.</p> <p><b>Directions</b> ■ take each dose of this product with at least 8 ounces (a full glass) of water or other fluid. Taking this product without enough liquid may cause choking. See choking warning. ■ this product works naturally so continued use for one to three days is normally required to provide full benefit. Dosage may vary according to diet, exercise, previous laxative use or severity of constipation</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>age</th> <th>recommended dose</th> <th>daily maximum</th> </tr> </thead> <tbody> <tr> <td>adults &amp; children 12 years of age and over</td> <td>2 caplets once a day</td> <td>up to 4 times a day</td> </tr> <tr> <td>children under 12 years</td> <td>consult a physician</td> <td></td> </tr> </tbody> </table> <p><b>Other information</b> ■ each caplet contains: calcium 125 mg ■ store at room temperature ■ protect contents from moisture</p> <p><b>Inactive ingredients</b> calcium carbonate, caramel color, croscopolone, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, silicon dioxide, sodium lauryl sulfate</p> <p><b>Questions or comments?</b> 1-866-467-2748</p>	age	recommended dose	daily maximum	adults & children 12 years of age and over	2 caplets once a day	up to 4 times a day	children under 12 years	consult a physician		<p><b>Purpose</b> Bulk-forming laxative</p>
age	recommended dose	daily maximum								
adults & children 12 years of age and over	2 caplets once a day	up to 4 times a day								
children under 12 years	consult a physician									

**DISTRIBUTED BY:**  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION GUARANTEE:**  
If you're not satisfied,  
we'll happily refund your money.

LOT: 120250RTLR

EXP: 0 11822 41305 3

## RITE AID FIBER CAPLETS

calcium polycarbophil tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2025
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM POLYCARBOPHIL (UNII: 8F049NKY49) (POLYCARBOPHIL - UNII: W25LM17A4W)	CALCIUM POLYCARBOPHIL	625 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARMEL</b> (UNII: T9D99G2B1R)	
<b>CROSPVIDONE</b> (UNII: 2S7830E561)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I3O)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>		<b>Imprint Code</b>	RP120
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2025-0	250 in 1 BOTTLE; Type 0: Not a Combination Product	04/20/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	04/20/2020	

**Labeler -** RITE AID CORPORATION (014578892)

Revised: 10/2021

RITE AID CORPORATION